

L Number	Hits	Search Text	DB	Time stamp
5	10286	(display\$3 or indicate) with (data with transfer)	USPAT; US-PGPUB	2003/11/03 12:45
6	7158	((display\$3 or indicate) with (data with transfer)) and @ad<19990409	USPAT; US-PGPUB	2003/11/03 12:46
7	206	((display\$3 or indicate) with (data with transfer)) and @ad<19990409) and (scanner with printer)	USPAT; US-PGPUB	2003/11/03 12:57
-	7761	((network or data or status) with information) and (peripheral adj device)	USPAT; US-PGPUB	2003/10/21 10:39
-	6366	(visual\$7 with (display\$3 or present\$3 or represent\$5)) and icons	USPAT; US-PGPUB	2003/10/20 10:49
-	237	((network or data or status) with information) and (peripheral adj device) ) and ((visual\$7 with (display\$3 or present\$3 or represent\$5)) and icons)	USPAT; US-PGPUB	2003/10/20 12:22
-	1857	(test or valid\$5) same (combin\$5 with function)	USPAT; US-PGPUB	2003/10/20 10:55
-	12	((peripheral adj device) and (function with combin\$5) and setup) and ((test or valid\$5) same (combin\$5 with function))	USPAT; US-PGPUB	2003/10/20 12:22
-	69	((network or data or status) with information) and (peripheral adj device) ) and ((visual\$7 with (display\$3 or present\$3 or represent\$5)) and icons)) and @pd<20000406	USPAT; US-PGPUB	2003/10/20 16:11
-	11371	(graphic\$2 or visual) with ((user adj\$1 interface) or represent\$5) and icons	USPAT; US-PGPUB	2003/10/20 16:15
-	214	(peripheral adj device) and (function with combin\$5) and setup	USPAT; US-PGPUB	2003/10/20 16:17
-	46	((graphic\$2 or visual) with ((user adj\$1 interface) or represent\$5) and icons ) and ((peripheral adj device) and (function with combin\$5) and setup)	USPAT; US-PGPUB	2003/10/21 10:35
-	1	("5221973").PN.	USPAT; US-PGPUB	2003/10/21 10:38
-	674	((graphic\$2 or visual) with ((user adj\$1 interface) or represent\$5) and icons) and print\$3 and (function with combin\$5)	USPAT; US-PGPUB	2003/10/21 10:38
-	8040	((network or data or status or configur\$5) with information) and (peripheral adj device)	USPAT; US-PGPUB	2003/10/21 15:09
-	83	((graphic\$2 or visual) with ((user adj\$1 interface) or represent\$5) and icons) and print\$3 and (function with combin\$5)) and ((network or data or status or configur\$5) with information) and (peripheral adj device) )	USPAT; US-PGPUB	2003/10/21 10:39
-	42	((graphic\$2 or visual) with ((user adj\$1 interface) or represent\$5) and icons) and print\$3 and (function with combin\$5)) and ((network or data or status or configur\$5) with information) and (peripheral adj device) )) and @py<2001	USPAT; US-PGPUB	2003/10/21 11:02
-	1	("4167322").PN.	USPAT; US-PGPUB	2003/10/21 11:23
-	1	("4454575").PN.	USPAT; US-PGPUB	2003/10/21 11:23
-	1	("4583834").PN.	USPAT; US-PGPUB	2003/10/21 11:23
-	1	("4882778").PN.	USPAT; US-PGPUB	2003/10/21 11:23
-	1	("5084875").PN.	USPAT; US-PGPUB	2003/10/21 11:24
-	1	("5021827").PN.	USPAT; US-PGPUB	2003/10/21 11:24
-	1	("5057866").PN.	USPAT; US-PGPUB	2003/10/21 11:24
-	1	("4884103").PN.	USPAT; US-PGPUB	2003/10/21 11:25
-	0	("118or119or120or121or122or123or124or125").PN	USPAT; US-PGPUB	2003/10/21 11:26

-	8	((("4167322").PN.) or (("4454575").PN.) or (("4583834").PN.) or (("4882778").PN.) or (("5084875").PN.) or (("5021827").PN.) or (("5057866").PN.) or (("4884103").PN.)	USPAT; US-PGPUB	2003/10/21 12:41
-	5	5652892.pn. or 5615105.pn. or 5506790.pn. or 5499707.pn. or 5491326.pn.	USPAT; US-PGPUB	2003/10/21 12:43
-	5	5451755.pn. or 5412189.pn. or 5396417.pn. or 5393964.pn. or 5369740.pn.	USPAT; US-PGPUB	2003/10/21 12:44
-	1	5901067.pn.	USPAT; US-PGPUB	2003/10/21 13:20
-	5619	(scanner with input) and (printer with output)	USPAT; US-PGPUB	2003/10/21 14:05
-	258	((network or data or status or configur\$5) with information) and (peripheral adj device) ) and ((scanner with input) and (printer with output))	USPAT; US-PGPUB	2003/10/21 14:06
-	93	((((network or data or status or configur\$5) with information) and (peripheral adj device) ) and ((scanner with input) and (printer with output))) and @py<2001	USPAT; US-PGPUB	2003/10/21 15:10
-	28519	(user adj1 interface) with (configur\$5 or control\$4 or monitor\$3 or setup)	USPAT; US-PGPUB	2003/10/21 14:52
-	63934	(user adj1 interface) and (configur\$5 or control\$4 or monitor\$3 or setup)	USPAT; US-PGPUB	2003/10/21 14:53
-	21	((user adj1 interface) and (configur\$5 or control\$4 or monitor\$3 or setup)) and ((((network or data or status or configur\$5) with information) and (peripheral adj device) ) and ((scanner with input) and (printer with output))) and @py<2001)	USPAT; US-PGPUB	2003/10/21 15:01
-	6	icon and ((user adj1 interface) and (configur\$5 or control\$4 or monitor\$3 or setup)) and (((network or data or status or configur\$5) with information) and (peripheral adj device) ) and ((scanner with input) and (printer with output))) and @py<2001))	USPAT; US-PGPUB	2003/10/21 15:09
-	127	((((network or data or status or configur\$5) with information) and (peripheral adj device) ) and ((scanner with input) and (printer with output))) and @ad<19990904	USPAT; US-PGPUB	2003/10/21 15:11
-	32	((user adj1 interface) and (configur\$5 or control\$4 or monitor\$3 or setup)) and ((((network or data or status or configur\$5) with information) and (peripheral adj device) ) and ((scanner with input) and (printer with output))) and @ad<19990904)	USPAT; US-PGPUB	2003/10/21 16:09
-	8	("4931922" or "4953165" or "5123017" or "5187592" "5241482" "5251020" "5353399" "5361265").pn.	USPAT; US-PGPUB	2003/10/24 09:52
-	5	("5261044" "5226120" "5214756" "5202985" "5175800").pn.	USPAT; US-PGPUB	2003/10/24 12:25
-	47996	(indicat\$3 or icon or pict\$5 or graphic\$2) and ((program or application) with window) or (graphic\$2 with interface)	USPAT; US-PGPUB	2003/10/24 12:44
-	36596	(print\$3 and scan\$4) and network	USPAT; US-PGPUB	2003/10/24 12:45
-	298732	combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation)	USPAT; US-PGPUB	2003/10/24 13:50
-	2424	((indicat\$3 or icon or pict\$5 or graphic\$2) and ((program or application) with window) or (graphic\$2 with interface)) and ((print\$3 and scan\$4) and network) and (combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) )	USPAT; US-PGPUB	2003/10/24 12:32

-	935	((indicat\$3 or icon or pict\$5 or graphic\$2) and ((program or application) with window) or (graphic\$2 with interface)) and ((print\$3 and scan\$4) and network) and (combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) )) and @ad<19990409	USPAT; US-PGPUB	2003/10/24 12:33
-	23170	(determin\$5 or check\$3 or display\$3) adj (valid\$5 or availab\$5)	USPAT; US-PGPUB	2003/10/24 12:47
-	250	((indicat\$3 or icon or pict\$5 or graphic\$2) and ((program or application) with window) or (graphic\$2 with interface)) and ((print\$3 and scan\$4) and network) and (combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) )) and @ad<19990409) and ((determin\$5 or check\$3 or display\$3) adj (valid\$5 or availab\$5))	USPAT; US-PGPUB	2003/10/24 12:36
-	46651	(icon or pict\$5 or graphic\$2) and ((program or application) with (window or panel)) or (graphic\$2 with interface))	USPAT; US-PGPUB	2003/10/24 12:56
-	11820	(print\$3 and scan\$4 and scanner and printer) and network	USPAT; US-PGPUB	2003/10/24 12:45
-	934	((icon or pict\$5 or graphic\$2) and ((program or application) with (window or panel)) or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network) and (combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) )	USPAT; US-PGPUB	2003/10/24 12:46
-	394	((icon or pict\$5 or graphic\$2) and ((program or application) with (window or panel)) or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network) and (combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) )) and @ad<19990409	USPAT; US-PGPUB	2003/10/24 12:47
-	23525	(determin\$5 or check\$3 or display\$3 or show) adj (valid\$5 or availab\$5)	USPAT; US-PGPUB	2003/10/24 15:36
-	98	((icon or pict\$5 or graphic\$2) and ((program or application) with (window or panel)) or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network) and (combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) )) and @ad<19990409) and ((determin\$5 or check\$3 or display\$3 or show) adj (valid\$5 or availab\$5))	USPAT; US-PGPUB	2003/10/24 12:47
-	21064	icon and (program or application or (graphic\$2 with interface))	USPAT; US-PGPUB	2003/10/24 12:57
-	1462	(icon and (program or application or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network)	USPAT; US-PGPUB	2003/10/24 12:57
-	634	((icon and (program or application or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network)) and @ad<19990409	USPAT; US-PGPUB	2003/10/24 12:57
-	231	(combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) ) and ((icon and (program or application or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network)) and @ad<19990409)	USPAT; US-PGPUB	2003/10/24 13:49
-	826	LEXMARK.as.	USPAT; US-PGPUB	2003/10/24 13:25
-	0	LEXMARK.as. and markvison	USPAT; US-PGPUB	2003/10/24 13:23
-	1147	(status or updating)with displa\$5 with icon\$3	USPAT; US-PGPUB	2003/10/24 13:48

-	40	((status or updating)with displa\$5 with icon\$3) and 358.clas.	USPAT; US-PGPUB	2003/10/24 13:27
-	55	((combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) ) and (((icon and (program or application or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network)) and @ad<19990409)) and (LEXMARK.as. or HITACHI.as. or XEROX.as.)	USPAT; US-PGPUB	2003/10/24 15:36
-	12	HITACHI.as. and Kuwamoto.in.	USPAT; US-PGPUB	2003/10/24 15:20
-	3	("5146561" "5008853" "4947345").pn.	USPAT; US-PGPUB	2003/10/24 15:29
-	2	valid\$5 and (("5146561" "5008853" "4947345").pn.)	USPAT; US-PGPUB	2003/10/24 15:35
-	54	((combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) ) and (((icon and (program or application or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network)) and @ad<19990409)) and (LEXMARK.as. or HITACHI.as. or XEROX.as.)) and (valid\$5 or allow\$)	USPAT; US-PGPUB	2003/10/24 15:36
-	17	((combin\$5 with (function or icon or device or (print\$3 and scan\$3) or operation) ) and (((icon and (program or application or (graphic\$2 with interface))) and ((print\$3 and scan\$4 and scanner and printer) and network)) and @ad<19990409)) and (LEXMARK.as. or HITACHI.as. or XEROX.as.)) and (valid\$5)	USPAT; US-PGPUB	2003/10/24 16:07
-	5	("6370592" "6003065" "5850573" "5768516" "5564109").pn.	USPAT; US-PGPUB	2003/10/27 09:25
-	1	0473414.pn.	USPAT; US-PGPUB;	2003/10/27 09:26
-	1	473414.pn.	EPO; JPO USPAT; US-PGPUB;	2003/10/27 09:36
-	3	679014.pn.	EPO; JPO USPAT; US-PGPUB;	2003/10/27 09:40
-	1	09223097.pn.	EPO; JPO USPAT; US-PGPUB;	2003/10/27 09:41
-	1	10285580.pn.	EPO; JPO USPAT; US-PGPUB;	2003/10/27 09:43
-	1	09305337.pn.	EPO; JPO USPAT; US-PGPUB;	2003/10/27 09:44
-	19	((printer or scanner) adj1 icon) and ((valid\$3 or availab\$5) with combin\$5)	USPAT; US-PGPUB	2003/10/27 11:50
-	2	((printer or scanner) adj1 icon) with combin\$3) and ((valid\$3 or availab\$5) with combin\$5)	USPAT; US-PGPUB	2003/10/27 11:44
-	0	((printer or scanner) adj1 icon) and ((valid\$3 or availab\$5) with combin\$5)) and (resolution adj1 (printer and scanner))	USPAT; US-PGPUB	2003/10/27 16:01
-	0	((printer or scanner) adj1 icon) and ((valid\$3 or availab\$5) with combin\$5)) and (resolution adj1 printer) and (resolution adj1 scanner)	USPAT; US-PGPUB	2003/10/27 16:02
-	54	(resolution adj1 printer) and (resolution adj1 scanner)	USPAT; US-PGPUB	2003/10/27 16:04
-	30	((resolution adj1 printer) and (resolution adj1 scanner)) and @ad<19990409	USPAT; US-PGPUB	2003/10/27 16:02
-	20	(resolution adj1 printer) with (resolution adj1 scanner)	USPAT; US-PGPUB	2003/10/27 16:04

-	9	((resolution adj1 printer) with (resolution adj1 scanner)) and @ad<19990409	USPAT; US-PGPUB	2003/10/27 17:08
---	---	---	--------------------	------------------